## A.R. Trachuk, postgraduate student

Kyiv Polytechnic Institute named after Ihor Sikorskyy

## SELECTING THE GROUP METHOD OF DATA HANDLING AS ONE OF THE MOST PERSPECTIVE ALGORITHMES FOR BUILDING A PREDICTIVE MODEL OF PETROLEUM CONSUMPTION IN THE SYSTEM OF ENERGY BALANCE OF UKRAINE

(Представлено д.т.н., проф. Дешко В.І.)

This paper deals with issues of petroleum consumption in Ukraine. The dynamics of consumption of petroleum is analysed and proposed guidelines for the efficient production, consumption and import of petroleum in Ukraine. Constructed and developed predictive models of petroleum consumption in Ukraine through the use of modern software and using the group method of data handling, which allowed building adequate predictive models of petroleum consumption in the system of Ukraine's energy balance. Researched and forecasted scenarios of petroleum consumption in the Ukraine.

The problem of efficient use of energy resources is critical for sustainable economic development against the backdrop of energy saving national economy depends on energy imports, on the one hand, and rising prices for these resources. The basic foundation of the formation energy system of Ukraine is to build forecasting scenarios for different types of energy and different criteria for effective use of energy resources. Solving this problem is not only with ensuring energy security, but also with the level of development of regions of Ukraine and ensuring quality of life.

Prediction of petroleum consumption in Ukraine today is an extremely important issue of strategic importance since conducted through analysis and building predictive models will be possible to develop guidelines for the efficient production and consumption of petroleum across Ukraine as a whole.

Keywords: energy conservation; energy efficiency; energy balance; energy statistics.

**Introduction.** The basic foundation of the formation of the Ukraine grid construction is forecasting scenarios for different types of energy and the various criteria for effective use of energy resources. The problem of efficient use of energy resources raises crucial for sustainable economic development against the backdrop of energy saving national economy depends on energy imports, on the one hand, and rising prices for these resources. The solution to this problem is not only with ensuring energy security, but also with the level of development of regions and the quality of life of its population [1].

Forecasting of petroleum consumption in Ukraine today is an extremely important issue of strategic importance since conducted through analysis and building predictive models will be possible to develop guidelines for the efficient production and consumption across Ukraine as a whole.

**Aim of the work.** To develop methodical recommendations on predicting of petroleum consumption in Ukraine through the use of the group method of data handling.

Statement of main material and research results. The level of energy has a decisive impact on the economy of the state, resolving social problems and living standards of citizens. Changes in energy prices immediately reflected in all industries, and the rest, the price of the final product. Therefore, instead of quantitative objectives of energy development, which was followed by Ukraine's economy in recent decades, energy has to go to power sustainable economic development, focused on that now developed countries. The said research leads scientists to balance the energy balance of Ukraine, which determined the relevance of the work. In the traditional understanding of energy balance is the ratio between the extraction (production) and consumption of different types of energy resources [2].

At the heart of the development of fuel and energy balance is a set of strategic statements of economic development, the definition of forecast volumes of energy consumption, based on adopted policies to increase energy efficiency, the development of fuel and energy complex and evaluating opportunities extraction and production of fuel and energy, as well as the formation of areas of import-exporting policy and determine the volume of purchase and sale of energy [3].

One of the mathematical methods of forecasting is group method of data handling, which allows you to build adequate predictive models of energy consumption in the system of Ukraine's energy balance [4].

By the use of a group method of data handling and by using modern software were built predictive models of petroleum consumption in the system of Ukraine's energy balance:

1. Predictive system model, 2 lags:

$$Y(1) = 2.2580 + 0,7135*Y1(-1) - 0,0.3915*Y1(-2) + 0,1544*Y3(-1)$$

$$Y(2) = 11.0662 + 0,6253*Y2(-1) + 0,8652*Y2(-2) - 1.0759*Y3(-2)$$

$$Y(3) = 6.2975 - 0.8208*Y3(-1) - 0.0460*Y3(-2)$$
(1)

Table 1

Initial data of petroleum consumption

Year	Petroleum production, total, mln t	Petroleum consumption, along with the processing of export, total, mln t	Petroleum imports, total, mln t
	Y1	Y2	Y3
2006	5,4	19,5	15,5
2007	6,1	23,4	16,8
2008	6,8	25,7	18,3
2009	7,9	29,5	21,9
2010	8,7	32,0	23,3
2011	8,8	33,6	24,6
2012	9,0	34,2	25,1
2013	9,1	34,9	25,7
2014	9,1	35,3	26,3
2015	9,3	36,0	26,7

Results of approximation and forecast for the next 5 years

The first indicator Y1 – Petroleum production, total, mln t is given in Table 2

Table 2

Petroleum production, total, mln t

Year	2006	2007	2008	2009	2010	2011	2012	2013	2014
Initial data	5,4	6,1	6,80	7,90	8,70	8,80	9,00	9,10	9,10
Forecast			7,09	7,92	8,44	8,73	8,92	9,08	9,22

Continuation of Table 2

Year	2015	2016	2017	2018	2019	2020
Initial data	9,30					
Forecast	9,35	9,45	13,17	12,35	10,30	9,14

The second indicator Y2 – Petroleum consumption, along with the processing of export, total, mln t is given in Table 3

Petroleum consumption, along with the processing of export, total, mln t

Table 3

Year	2006	2007	2008	2009	2010	2011	2012	2013	2014
Initial data									
	19,5	23,4	25,70	29,50	32,00	33,60	34,20	34,90	35,30
Forecast			25,89	29,43	31,02	32,87	33,72	34,57	34,86

Continuation of Table 3

Year	2015	2016	2017	2018	2019	2020
Initial data						
	36,00					
Forecast	35,03	35,82	33,47	33,93	30,61	28,99

The third indicator Y3 – Petroleum imports, total, mln t is given in Table 4

Table 4

Petroleum imports, total, mln t

Terroteum imports, total, min i											
Year	2006	2007	2008	2009	2010	2011	2012	2013	2014		
Initial data	15,5	16,8	18,30	21,90	23,30	24,60	25,10	25,70	26,30		
Forecast			19,34	21,53	23,17	24,42	25,32	25,93	26,29		

Continuation of Table 4

Year	2015	2016	2017	2018	2019	2020
Initial data	26,70					
Forecast	26,68	26,68	24,05	24,0	23,14	22,51

Interconnection imports of oil and gas

$$Y1 = 0.9017*Y1(-1) + 0.0775*Y2(-2);$$

$$Y2 = 0.0369*Y1(-1) + 0.6177*Y2(-1) + 0.2820*Y2(-2);$$
(2)

The fourth indicator Y4 - Petroleum imports, total, mln t is given in Table 5

Table 5

Petroleum imports, total, mln t

Year	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015
Initial data	54,1	52,8	47,5	45.4	42,1	40,3	39.6	37,3	33.6	31,3
Forecast			48,49	45,56	42,61	40,02	37,64	35,47	33,48	31,66

Continuation of Table 5

Year	2016	2017	2018	2019	2020
Initial data					
Forecast	29,79	19,39	21,27	19,49	18,89

**Discussion.** The basic method of building predictive models of petroleum consumption has been selected the group method of data handling, because through this unique method was possible to build a multidimensional multifactor forecasting model of petroleum consumption in the system of energy balance in Ukraine, which will take into account all the important energy performance in the petroleum industry in the complex. Using group method of data handling to build petroleum consumption forecasting scenarios enabled to view advanced options for the future development of the sector of the petroleum industry in Ukraine for the next 5 years and made it possible to see clearly at that scenario can develop petroleum industry in Ukraine and were predicted important key indicators [5].

**Conclusion.** Through analysis of the dynamics of petroleum consumption in Ukraine and analysis of important indicators such as: petroleum production, total, mln t; petroleum consumption, with export processing, total, mln t; petroleum imports, total, mln t – prediction models were built in the sphere of petroleum industry by using the group method of data handling for the above indicators and made the following conclusions and received such results:

- forecasted the growth of petroleum production from 5,4 mln t in 2006 to 9,14 mln t in 2020.
- forecasted the growth of petroleum consumption from 19.5 mln t in 2006 to 28,99 mln t in 2020.
- forecasted the growth of oil imports from 15,5 mln t in 2006 to 28.23 mln t in 2020.
- forecasted the decreasing of gas imports from 54,1 in 2006 to 18.89 in 2020.

## References:

- 1. *Autonomiv A.B.* World Energy: The state scale, perspective, sustainability, environmental issues, price dynamics of energy resources / *A.B. Autonomiv* // Power Station. − 2013. − № 5. − Pp. 55–64.
- 2. *Ivahnenko A.G.* Adoption decisions based on self-organization / *A.G. Yvahnenko, Y.P. Zaichenko, V.D. Dimitrov.* M.: «Sov. Radio», 1976. 280 p.
- 3. Energy conservation, efficiency and economy of fuel and energy complex of Ukraine in general / A.M. Volkov, B.E. Popov, O.D. Protsenko, S.A. Potryasov // Energy. 2009. № 1. Pp. 31–34.
- Bashmakov I.A. Regional policy to increase energy-efficiency effect from problems to solutions / I.A. Bashmakov. M.: TSENEF, 2006. – 192 p.
- 5. Energy Saving / V.E. Batyschev, B.G. Martinenko, S.L. Rozshukiv, J.M. Shchelokov. Ekaterinburg, 2014. 304 p.
- 6. Bokserman Y.I. Gas in the structure of world power industry: resources production, markets / Y.I. Bokserman, A.A. Beschinsky, V.I. Likhachev // Agricultural Art Peck. 2008. № 3–4. Pp. 42–50.
- 7. Gordeev O.G. Status and prospects of development of the oil and gas industry / O.G. Gordeev // Oil Industry. 2003. № 1. Pp. 4–7.
- 8. *Dmitrievsky A.N.* Natural gas in the XXI century / A.N. *Dmitrievsky* // Oil Industry. 2002. № 12. Pp. 14–17.
- 9. Klimova G.N. Prospects of energy use of gas / G.N. Klimova, V.M. Litvak, I.Jaworski // Industrial Energy. 2012. № 8.
- 10. Kotler V.R. Primary energy consumption and fuel consumption structure in the world / V.R. Kotler // Electric stations. 2002. № 7. p. 71.

## References:

- 1. Autonomiv, A.B. (2013), «World Energy: The state scale, perspective, sustainability, environmental issues, price dynamics of energy resources», *Power Station*, No. 5, pp. 55–64.
- 2. Ivahnenko, A.G., Zaichenko, Y.P. and Dimitrov, V.D. (1976), *Adoption decisions based on self-organization*, «Sov. Radio», Moskva, 280 p.
- 3. Volkov, A.M., Popov, B.E., Protsenko, O.D. and Potryasov, S.A. (2009), «Energy conservation, efficiency and economy of fuel and energy complex of Ukraine in general», *Energy*, No. 1, pp. 31–34.
- 4. Bashmakov, I.A. (2006), Regional policy to increase energy-efficiency effect from problems to solutions, TSENEF, Moskva, 192 p.
- 5. Batyschev, V.E., Martinenko, B.G., Rozshukiv, S.L. and Shchelokov, J.M. (2014), *Energy Saving*, Ekaterinburg, 304 p.
- 6. Bokserman, Y.I., Beschinsky, A.A. and Likhachev, V.I. (2008), «Gas in the structure of world power industry: resources production, markets», *Agricultural Art Peck*, No. 3–4, pp. 42–50.
- 7. Gordeev, O.G. (2003), «Status and prospects of development of the oil and gas industry», *Oil Industry*, No. 1, pp. 4–7.
- 8. Dmitrievsky, A.N. (2002), «Natural gas in the XXI century», Oil Industry, No. 12, pp. 14–17.
- 9. Klimova, G.N., Litvak, V.M. and Jaworski, I. (2012), «Prospects of energy use of gas», *Industrial Energy*, No. 8.
- 10. Kotler, V.R. (2002), «Primary energy consumption and fuel consumption structure in the world», *Electric stations*, No. 7, p. 71.

TRACHUK Andrii Romanovych – postgraduate student of Kyiv Polytechnic Institute named after Ihor Sikorskyy.

Наукові інтереси:

- енергозбереження;
- енергоменеджмент;
- енергобаланс;
- енергоефективність;
- енергетична безпека;
- сталий розвиток енергетики;
- енергозберігаючі технології.

The article was submitted on 11.05.2017.